



J.P. Schoeffel's  
**BLOGMATRIX  
PRO**

**Create And Run MULTIPLE  
WordPress  
Blogs From Just  
ONE Simple Install!**

# BlogMatrixPro Users Manual

## Version V2.2.3

Copyright © 2007 JP Schoeffel  
All Rights Reserved

### **COPYRIGHT NOTICE:**

Copyright 2007 JP Schoeffel & Innovative Marketing Solutions  
LLC  
All Rights Reserved

All files associated with the "Blog Matrix Pro" Software package  
fall under this copyright notice.

These scripts are NOT freeware nor a shareware. Selling or  
distribution of the code (in whole or in part) of this program  
without prior written consent is expressly forbidden.

This program is distributed "as is" and without warranty of any  
kind, either express or implied.

=====


Software	: Blog Matrix Pro
Version	: 2.2.3
Date	: Nov. 15, 2007 Rev 11/29/07
Author	: JP Schoeffel
Email	: support@ethiccash.com

If you have received or bought this software from someone else other than  
<http://www.BlogMatrixPro.com> , you are using an illegal copy.

Support: <http://support.ethiccash.com>

# First Login to the Admin Panel

## Admin login

A screenshot of the Admin login form. It features a light gray background with a thin gray border. At the top, the text "Admin login" is written in blue. Below this, there are two input fields: the first is labeled "Login:" and the second is labeled "Password:". Both fields are empty and have a light blue border. Below the password field is a blue button with the word "Login" in white text.

**<http://www.YourDomain.com/api>** (login is your email you purchased the script with, and password was sent by the system at time of purchase)

If installed into a subdomain

**<http://subname.YourDomain.com/api>**

## 1. Creating a Blog

**NOTE:** Before creating a Niche Blog you might want to create a “testing” blog first. Create a blog called “testing” (no hyphens) and scroll down and select “no” for pinging and remove the ping url. This way you can post and not have to worry about any pinging when posting.

**Once you are familiar with the way BlogMatrixPro creates blogs the proceed on creating your niche blogs.**

- Type in the keyword or niche you would like your Blog Name to be separated by comma if adding multiple blogs. **(See No. 2 below)**

i.e. dogtraining,bunkbeds,birdwatching etc.. **LETTERS and NUMBERS ONLY and NO SPACES or DASHES.**

Blogs:  **2**  
 (comma separated names, **letters and numbers only, no spaces or dashes, minimum 2 characters, should begin with a letter**)

Blog extension:  **3**  
 (Default: none)

Select Theme:  **4**

- (optional) Chose an extension you want blog(s) **(See No.3 above)**.

For example if you want yourdomain.com/birds.blog you would type in blog. If you want yourdomain.com/birds.html you would type in html. If you want only the name of the blog yourdomain.com/birds than you would leave blank. If you are creating multiple blogs each blog would have the extension you provide.

- Select a Template from the Pull down Menu **(See No. 4 above)**  
 Currently if you have not already uploaded other templates you will find one template called "Default". This template will be used for all your blogs if no template has been selected.

- If you want to active the plugins to these blogs you can do so by checking the box next to the plugin. Any Plugins you have uploaded to the /wp-content/plugins folder will show up here.

Enable  
 Plugins:

☐ [Akismet](#)

☐ [Hello Dolly](#)

☐ [WordPress Database Backup](#)

After you've finished selecting other preferred options click the >>Create Blogs Now << button

After you click the Go Button a list of Blog(s) will appear. There are two links showing, either link can be used. **(See No. 5 below)**

Add Blogs   Edit Access Info   Log out		
<b>ebay</b> <a href="http://www.myresources.net/ebay">http://www.myresources.net/ebay</a> <span>5</span>	<a href="#">Manage data</a> <span>6</span>	<a href="#">Delete</a>
<b>weddings</b> <a href="http://www.myresources.net/weddings">http://www.myresources.net/weddings</a>	<a href="#">Manage data</a>	<a href="#">Delete</a>

Once you are familiar with the system, you can proceed to add as many blogs as you like. Simply type in your keywords blog separated by a comma.

To manage each blog click on the “Manage Data” link for the blog you wish to modify. **(See No. 6 above)**

## 2. Manage Data for each Blog

When you click on the “Manage Data” link to the blog you want to manage you can always know which blog you are managing by looking at the text at the top. **(See No.7 below)**

You are managing "**dogtraining**" blog now **7**

[\[ Back to Main \]](#)
[\[ \*\*Categories\*\* \]](#)
[\[ Posts \]](#)
[\[ Pages \]](#)
[\[ Comments \]](#)
[\[ Presentation \]](#)  
[\[ Edit Theme \]](#)
[\[ RSS To Blog \]](#)
[\[ Options \]](#)
[\[ WPDashboard \]](#)

---

**Existent categories:**

[delete](#) |  
Uncategorized

**8**

[ add new categories (coma separated) ]

A. **Categories:** here you can see the existing categories and add as many as you like and delete which ever category you don't want. **(See No. 8 above)** Again, you can add more then one category at a time buy separating each category using a comma.

B. **Posts:** Shows the number of posts made per each category, Select the View Posts from the category to view posts. To Manually add post Select the Categories "View Post" and then insert the content you need for each post. Separate each post by using ###

C. **Comments:** Select the Post you want to check comments on. To Manually add comments Select the posts "View Comments" to bring up those comments then insert how many comments you need to add in the text area. Each Comment should be separated buy ###

D. **Presentation:** Shows the current Theme Used for the Blog your Managing **(See No. 9 below)**. To change theme simply click the theme you wish to use on the right. **(See No. 10 below)**.

You are managing "*dogtraining*" blog now

[\[ Back to Main \]](#)
[\[ Categories \]](#)
[\[ Posts \]](#)
[\[ Comments \]](#)
[\*\*Presentation\*\*](#)
[\[ Edit Theme \]](#)  
[\[ RSS To Blog \]](#)
[\[ WP Dashboard \]](#)

---

<p><b>Current Theme:</b></p> <p><b>(Dogtraining)</b></p> <div style="text-align: center; border: 2px solid red; border-radius: 50%; width: 30px; height: 30px; line-height: 30px; margin: 0 auto;">9</div>	<p>To Use a Different Theme Select One from Below:</p> <table style="width: 100%;"> <tr> <td style="text-align: center;"><a href="#">Set Theme</a></td> <td style="text-align: center;"><b>Default</b></td> </tr> <tr> <td style="text-align: center;"><a href="#">Set Theme</a></td> <td style="text-align: center;"><b>Classic</b> <div style="text-align: center; border: 2px solid red; border-radius: 50%; width: 30px; height: 30px; line-height: 30px; float: right;">10</div></td> </tr> <tr> <td style="text-align: center;"><a href="#">Set Theme</a></td> <td style="text-align: center;"><b>Gourmet</b></td> </tr> </table>	<a href="#">Set Theme</a>	<b>Default</b>	<a href="#">Set Theme</a>	<b>Classic</b> <div style="text-align: center; border: 2px solid red; border-radius: 50%; width: 30px; height: 30px; line-height: 30px; float: right;">10</div>	<a href="#">Set Theme</a>	<b>Gourmet</b>
<a href="#">Set Theme</a>	<b>Default</b>						
<a href="#">Set Theme</a>	<b>Classic</b> <div style="text-align: center; border: 2px solid red; border-radius: 50%; width: 30px; height: 30px; line-height: 30px; float: right;">10</div>						
<a href="#">Set Theme</a>	<b>Gourmet</b>						

**Current Theme:**

9

[Set Theme](#)

[Set Theme](#)

[Set Theme](#)

10

You are managing "***dogtraining***" blog now
 11

[\[ Back to Main \]](#)
[\[ Categories \]](#)
[\[ Posts \]](#)
[\[ Comments \]](#)
[\[ Presentation \]](#)
[\[ Edit Theme \]](#)

[\[ RSS To Blog \]](#)
[\[ WP Dashboard \]](#)

**Current Theme Files:**  
**(Dogtraining)**

[comments-popup.php](#)

[comments.php](#)

[footer.php](#)

[header.php](#) 12

[index.php](#)

[screenshot.png](#)

[sidebar.php](#)

[style.css](#)

```

<?php
get_header();
?>

<?php if (have_posts: while (have_posts()) : th

<?php the_date('','<','</h2>'); ?>

<div class="post" iost-<?php the_ID(); ?>">
    <h3 class="ytitle"><a href="<?php the_
        
```

Save File

**Current  
Theme Files:**

[comments-popup.php](#)  
[comments.php](#)  
[footer.php](#)  
[header.php](#)  
[index.php](#)  
[screenshot.png](#)  
[sidebar.php](#)  
[style.css](#)

12

Save File

Note: To edit Theme, Files will need to be `chmod766`

The RSS to Blog Section allows you to add a news feed and automatically post to the categories you've created in your blogs. (See **No.13 below**)

You are managing "**dogtraining**" blog now

[ [Back to Main](#) ] [ [Categories](#) ] [ [Posts](#) ] [ [Comments](#) ] [ [Presentation](#) ] [ [Edit Theme](#) ]

**13** [ [RSS To Blog](#) ] [ [WP Dashboard](#) ]

---

### [dogtraining] RSS To Blog Details

Category	Blog Posts	Last Update	RSS to Blog
Uncategorized	1	Still Empty	<b>Settings</b>
dog toys	5	2006-05-24	<b>14 Settings</b>
dog training	5	2006-05-24	<b>Settings</b>

[To Post Content To Blog [click here](#)] **15**

**Note:** If you are running cron, content will be posted automatically according to your specified Settings

The First Thing you will want to do is create the settings for each category – click “Setting” (See **No. 14 above**)

NOTE: After you've set up the feeds you can Post instantly to the blog by clicking the Post Content “click here” link (See **No. 15 above**)

When you have already set up your feeds and posts are made you will notice the RSS To Blog Feed Statistics within the Settings area. (See **No. 16 below**)

You are managing "dogtraining" blog now

[ [Back to Main](#) ] [ [Categories](#) ] [ [Posts](#) ] [ [Comments](#) ] [ [Presentation](#) ] [ [Edit Theme](#) ]  
[ [RSS To Blog](#) ] [ [WP Dashboard](#) ]

#### RSS To Blog Feed Statistics

- Total Number of Posts : 2
- Total Rss Feeds : 1
- Last Post Date: 2006-05-05

16

### CATEGORY : DOG TOYS

#### RSS To Blog Feed

Limit Each RSS Feed 17  to

Post New RSS Feed every 18  Days.  
[Cron required [click here](#)]

Insert URLs 19 ☐ Yes ☒ No

Enter 1 RSS Feed Per Line Add### After Each Feed: Pressing "Enter" Starts a New Line

20

Need Feeds [click here](#) 21

Save Settings

- Limit Each RSS Feed: Min. is 1 and you can specify any numbered amount that you want posted to your blog category. (See No. 17 above)
- Post New RSS Feed: here you can specify when you want to run the auto posting script to post to each category. Cron is required if you want to automate this process. (See No. 18 above)
- Insert Urls: You can specify here whether or not you want the source of the post to show. (See No. 19 above)



- Entering RSS Feeds: Enter as many RSS Feeds as you like. Each feed must be on it's own line, use ### and a hard return to begin new line.  
**(See No. 20 above)**

- Need Feeds: If you need to obtain links for feeds you can click here for a list of places to get them. **(See No. 21 above)**

That's it, you should be all set.. If you have any further questions please let me know.. I've tried my best to write these help files to give you a better and/or clear conception of how the WPMassInstaller works, but if you have any input – questions, comments or concerns that would benefit others please let me know.

## WPMassInstaller (Additional Notes)

### Tip for showing a blog as your main domain:

- If you want a blog that you have created in BlogMatrixPro to show up as your main domain.com page.

First Create a Blog within BlogMatrixPro i.e. mainblog

Edit the .htaccess file. Inside you will see this code:

Options +FollowSymlinks

DirectoryIndex index.html index.htm index.php

What this is telling the server is, when someone types in yourdomain.com it first looks for an index.html file, if it doesn't exist it then will go to the next one which is index.htm, if that file doesn't exist it will then look for index.php

SO, in order to bring up one of you blogs you can replace that code with this

Options +FollowSymlinks

DirectoryIndex index.php?subdomain=nameofblog  
index.html index.htm index.php

Replace 'nameofblog' with the name of the blog you created (no extension) Anyone that types in yourdomain.com the server will than first look for index.php and because it has ?subdomain=nameofblog the index.php file will find the blog and show it.

If you delete the blog, this will not work. You can replace any blog at any time but the blog must exist.

## Using 3<sup>rd</sup> Party Software (such as RSS2Blog):

Some programs will ask you for the url to a blog or a specific file of the blog that you have created with BlogMatrixPro. In order for a script to communicate with BlogMatrixPro and to find the blog you would use subdomain=nameofblog (no extension) to find the blog or file.

For example: If I created a blog in BlogMatrixPro called 'MyDoggie' and the program asks for the url of the blog it would be:

<http://domain.com/index.php?subdomain=MyDoggie>

RSS2Blog asks the location of the xmlrpc.php file so this would be:

<http://domain.com/xmlrpc.php?subdomain=MyDoggie>

or if you installed into a subdomain it would be:

<http://subdomain.domain.com/xmlrpc.php?subdomain=MyDoggie>

Again, if you have any questions, comments or concerns, please feel free to contact me anytime. <http://www.customersupport.ws>

Best of Everything my friend,

*Jean-Philippe Schoeffel*



Another Innovative Marketing Solutions LLC company product - all content Copyright ©2007 Innovative Marketing Solutions LLC- [blogMatrixPro.com](http://blogMatrixPro.com), do not copy or reproduce any portion of this website or script without written permission.



